

# PERIMETRY UPDATE 1998/1999

Proceedings of the  
XIIIth International Perimetric Society Meeting,  
Gardone Riviera (BS), Italy, September 6–9, 1998

edited by Michael Wall and John M. Wild

Click on article  
title to open  
article. Some  
articles are quite  
large and may  
take time to load.



**KUGLER PUBLICATIONS**  
The Hague/The Netherlands

[To Table of Contents](#)

[Back to Navigation Menu](#)

ISBN 90-6299-155-6

Distributors:

For the U.S.A. and Canada:

DEMOS

386 Park Avenue South, Suite 201

New York, NY 10016

Telefax (+212) 683-0072

For all other countries:

Kugler Publications

P.O. Box 97747

2509 GC The Hague, The Netherlands

© Copyright 1999 Kugler Publications

All rights reserved. No part of this book may be translated or reproduced in any form by print, photoprint, microfilm, or any other means without prior written permission of the publisher.

## Table of contents

Preface	xi
<b>New perimetry algorithms</b>	
Sensitivity to glaucomatous visual field loss in full threshold, SITA Standard, and SITA Fast tests <i>B. Bengtsson and A. Heijl</i>	3
Characteristics of the SITA program on the Humphrey Visual Field Analyzer <i>A. Iwase, Y. Ohno, R. Shiraki, S. Tuji and Y. Kitazawa</i>	9
Comparing SITA and full threshold strategies <i>P. Capris, G. Gatti, G. Corallo, S. Romiti, E. Gandolfo and M. Zingirian</i>	11
Comparison of SITA and dynamic strategies with the same examination grid <i>C.T. Langerhorst, L.L. Carenini, D. Bakker, Th.J.T.P. Van den Berg and M.A.C. De Bie-Raakman</i>	17
A comparison of light detection thresholds in glaucomatous visual fields in SITA-S and Fastpac <i>E. Mutlukan</i>	25
Comparative evaluation of four strategies (standard, dynamic, TOP, 2-level) using the automated perimeter Octopus 1-2-3 <i>S. Takada, C. Matsumoto, S. Okuyama, A. Iwagaki and T. Otori</i>	35
G1-tendency-oriented perimetry: introduction and comparison with G1-Standard Bracketing <i>M. González de la Rosa, M.J. Losada, M. Serrano and J. Morales</i>	43
Reproducibility of top algorithm results versus those obtained with the bracketing procedure <i>M. González de la Rosa, Á. Martínez Piñero and M. González Hernández</i>	51
Flicker-top perimetry in normals and patients with ocular hypertension and early glaucoma <i>M. González de la Rosa, J. Rodríguez and M. Rodríguez</i>	59
<b>New methods – screening</b>	
Efficacy of screening modes of FDT and Dicon perimeters <i>R.E. Van Coevorden, R.P. Mills, L. Wang and D.C. Stanford</i>	69
Frequency doubling perimetry as a glaucoma screener <i>Y. Kondo, K. Inazumi, T. Yamamoto and Y. Kitazawa</i>	73
A comparison of the effects of neutral density filters and diffusing filters on motion detection perimetry, white-on-white perimetry and frequency doubling perimetry <i>L. Membrey, S. Kogure and F.W. Fitzke</i>	75
Automated flicker perimetry in glaucoma and retinal detachment patients <i>C. Matsumoto, S. Okuyama, A. Iwagaki, S. Takada and T. Otori</i>	85

## Variability

The relationship between sensitivity and variability in normal and glaucomatous visual fields <i>D.B. Henson, S.J. Chaudry and P.H. Artes</i>	95
Evaluation of two screening tests for frequency doubling technology perimetry <i>C.A. Johnson, G.A. Cioffi and E.M. Van Buskirk</i>	103
A method for sampling discrete ganglion cell mosaics that decreases threshold variability <i>P.M. Pearson, W.H. Swanson, R.L. Fellman, R.J. Starita and J.R. Lynn</i>	111
Quantification of glaucomatous threshold visual field loss based on neuromorphometric correlates <i>E. Mutlukan</i>	119
Linear regression analysis in glaucoma visual field follow-up <i>A. Heijl and B. Bengtsson</i>	125
Detecting gradual and sudden sensitivity loss in series of visual fields <i>D.P. Crabb, F.W. Fitzke and R.A. Hitchings</i>	131
Pointwise linear regression of glaucomatous visual fields: a new approach <i>A.C. Viswanathan, F.W. Fitzke and R.A. Hitchings</i>	139
The rate of visual field progression during long-term follow-up of normal-tension glaucoma patients <i>D. Poinosawmy, C. Bunce, W.L. Membrey, F.W. Fitzke and R.A. Hitchings</i>	147
Evaluation of fixation during perimetry using a new fundus perimeter <i>T. Murata, Y. Nishida, K. Yoshida, T. Iwami and K. Kani</i>	155
The effect of a 'social' dose of alcohol on the central retinal sensitivity and fixation stability – measured with the scanning laser ophthalmoscope <i>F.P. Källmark and L.M. Martin</i>	161

## Psychophysics

The independence of perimetry thresholds <i>R.S. Harwerth and E.L. Smith, III</i>	167
Detection and resolution thresholds in the fovea and periphery for high-pass tumbling E's <i>R.S. Anderson, F.A. Ennis and D.R. McDowell</i>	177
Tumbling E resolution perimetry in glaucoma <i>F.A. Ennis, R.S. Anderson, W.S. McClean and S.J.A. Rankin</i>	179
Comparison between threshold pupil perimetry and suprathreshold pupil perimetry <i>S. Okuyama, C. Matsumoto, A. Iwagaki, S. Takada and T. Otori</i>	187
Binocular summation within the binocular visual field <i>A. Wakayama, C. Matsumoto, A. Iwagaki and T. Otori</i>	193
Abnormal maximum line displacement sensitivity and frequency-of-seeing curves for a motion stimulus in glaucoma <i>M.C. Westcott, D. Poinosawmy and F.W. Fitzke</i>	201
Intensity distribution beneath an artificial vessel: implications for angioscotomata <i>C. Hofmann, U. Schiefer and E. Plies</i>	209

## Fundamentals of perimetry

Age influences asymmetry in differential luminance sensitivity <i>T.J. Dietrich, N. Ata, A. Sanger, B. Selig, U. Schiefer and N. Benda</i>	223
Age and eccentricity effects on grating detection and grating resolution automated perimetry <i>S. Demirel, C.A. Johnson and L.N. Thibos</i>	229
Effect of localized refractive error on perimetric thresholds for different- sized targets in foveal and peripheral vision <i>D.R. McDowell, R.S. Anderson and F.A. Ennis</i>	241
Suprathreshold perimetry: establishing the test intensity <i>D.B. Henson, P.H. Artes, S.J. Chaudry and B.C. Chauhan</i>	243
The effect on perimetric thresholds of using a quadrant-limited seed point algorithm <i>C.F. Brito and M. Wall</i>	253

## Perimetric techniques

Automated static campimetry with locally enhanced spatial resolution <i>U. Schiefer, B. Selig and T.J. Dietrich</i>	261
An automatic target-adding system for visual field screening <i>Y. Takihata, K. Miyazaki, Y. Komachi, S. Nagata and K. Kani</i>	273
Neural attractor network classification of visual field data <i>W. Fink, U. Schiefer and E.W. Schmid</i>	283
Estimating cataract by means of resolution perimetry <i>L. Frisen</i>	289
Correlation of relative dispersion analysis and other high pass resolution perimetry indices with standard threshold perimetry <i>M. Iester, M. Altieri, C.E. Traverso, P. Capris, M. Zingirian</i>	301
Use your PC to quickly map remaining vision after foveal vision loss <i>M. Mackeben, A. Colenbrander and A. Gofen</i>	307
Automated perimetry, color vision and contrast sensitivity in ocular hypertensives <i>G. Milano, G.C.M. Rossi and F. Trimarchi</i>	317
Improved resolution by 3dB gray scale printouts of visual fields <i>F. Dannheim</i>	323

## Color perimetry

Repeatability of abnormality and progression in glaucomatous standard and SWAP visual fields <i>P.A. Sample, A. Emdadi, Y. Kono and R.N. Weinreb</i>	333
A longitudinal evaluation of short-wavelength automated perimetry in glaucoma patients <i>Y. Kono, P.A. Sample, A. Emdadi and R.N. Weinreb</i>	339
One year's experience of short wavelength automated perimetry in private practice <i>E.R. Forsman</i>	341

Non-conventional visual field testing in patients with high-risk ocular hypertension <i>P. Brusini, P. Busatto and G.B. Driussi</i>	349
Short-wavelength automated perimetry at baseline and following laser photocoagulation in patients with clinically significant diabetic macular edema: a series of illustrative case reports <i>C. Hudson, J.G. Flanagan, G.S. Turner, H.C. Chen, L.B. Young and D. McLeod</i>	355
Evaluation of white-on-white perimetry using size I stimulus compared with blue-on-yellow perimetry <i>M. Takada, M. Osako, S. Osako, H. Goto, N. Horikoshi and T. Okano</i>	365
 <b>Optic disc imaging</b>	
Morphometric parameters in high-tension and normal-tension glaucoma: correlation with visual field indices <i>M. Iester, F.S. Mikelberg, P. Courtright and S.M. Drance</i>	375
Relationship between perimetric light sensitivity and optic disc neuroretinal rim area <i>D.F. Garway-Heath, A. Viswanathan, M. Westcott, D. Kamal, F.W. Fitzke and R.A. Hitchings</i>	381
Comparison between optic nerve head topography – using the Heidelberg Retina Tomograph – and resolution visual fields <i>L.M. Martin and U.K. Gedda</i>	391
Measurement of large optic discs using the nerve fiber analyzer, GDx <i>P. Karyampudi, L. Wang, P.P. Chen and R.P. Mills</i>	395
Nerve fiber layer thickness in normals and glaucoma patients <i>H. Suzumura, K. Harasawa, A. Kobayashi and N. Endo</i>	403
High-pass resolution neural capacity and retinal nerve fiber layer thickness in glaucoma <i>P. Brusini, P. Busatto and C. Tosoni</i>	409
Is there a relationship between visual field defects and retinal nerve fiber loss in glaucoma? <i>M. Marraffa, R. De Natale, G. Marchini, R. Morbio, L. Tomazzoli and L. Bonomi</i>	413
 <b>Glaucoma</b>	
Morphometric asymmetry of peripapillary atrophy is associated with orbital blood flow asymmetry in normal-tension glaucoma patients <i>H. Uchida, T. Yamamoto, Y. Niwa, G. Tomita and Y. Kitazawa</i>	419
Minimum threshold asymmetry between fellow eyes of glaucomatous patients to define the side of greater field loss <i>L. Fontana, D. Poinosawmy and R.A. Hitchings</i>	421
Cumulative curve to detect neuroretinal rim area defects in glaucomatous optic nerve heads <i>A. Macrì, M. Iester, M. Rolando, G. Calabria and M. Zingirian</i>	425

Simple criteria for detecting glaucomatous perimetric defects in high myopia <i>G. Corallo, P. Capris, E. Gandolfo, A. Macrì, C. Guidi and M. Zingirian</i>	433
False-negative rates in the visual fields of glaucomatous patients <i>D. Messenio and P. Montanari</i>	439
Frequency of normal-tension glaucoma found at health check-ups <i>H. Okoshi, N. Kimura, H. Hayashi, M. Saito, N. Endo, H. Suzumura and M. Usui</i>	443
Automatic static fundus perimetry for precise detection of early glaucomatous function loss <i>K. Rohrschneider, R. Glück, F.E. Kruse, R.O.W. Burk, T. Fendrich and H.E. Völcker</i>	453
Prediction of glaucomatous visual field defects by reference plane independent three-dimensional optic nerve head parameters <i>R.O.W. Burk, H. Noack, K. Rohrschneider and H.E. Völcker</i>	463

### Retinal and neurologic disorders

Perimetric long-term follow-up of diabetic cystoid macular edema after laser treatment extended to the foveal avascular zone <i>F. Morescalchi, E. Gandolfo, S. Formenti, S. Sancassani and E. Scuri</i>	477
Visual field in areolar atrophy of the retinal pigment epithelium associated with age-related macular degeneration <i>A. Magnasco, P. Capris, M. Zingirian and E. Gandolfo</i>	483
Value of Octopus automated perimetry in patients on hydroxychloroquine treatment <i>D. D'Andrea, I. Castagna, A. D'Andrea, M. Briguglio, B. Gentile and R. Lo Gullo</i>	491
Peripheral detection versus resolution acuity in diabetes prior to clinically observed retinopathy <i>B.J. Curran and R.S. Anderson</i>	495
Scanning laser-derived edema index topographic maps: correlation with visual function assessment in patients undergoing laser photocoagulation for clinically significant diabetic macular edema <i>C. Hudson, J.G. Flanagan, G.S. Turner, H.C. Chen, L.B. Young and D. McLeod</i>	503
Homonymous visual field defects: perimetric findings and corresponding neuro-imaging results <i>J. Schiller, T.J. Dietrich, L. Lorch, M. Skalej, C. Braun and U. Schiefer</i>	511
Central visual field changes in dysthyroid optic neuropathy <i>Y. Inoue, T. Inoue, T. Tsuboi and K. Goto</i>	517
Puzzling visual field loss in patients with primary empty sella <i>D. Doro, M.T. Dorigo de Natale and P. Cimatti</i>	529
Development of the Tübingen neuro-ophthalmological perimetric database <i>R. Burth, E. Hölper, S. Mayer, I. Mildenerger, G. Magnusson, U. Schiefer and W. Fink</i>	533
Index of authors	539