

## Lid Margin laceration

Category(ies): Trauma

Contributor: Jordan M. Graff, MD and Lynn E. Fraterrigo, MD,



This patient suffered multiple facial lacerations in a motor vehicle crash. Full thickness lid margin lacerations like this require special care in order to avoid notching of the lid. Lamellar tarsal sutures should be used to restore the normal anatomy of the tarsus. Vertical mattress sutures in the lid margin will approximate the wound edges while providing slight wound eversion to avoid notching as the wound heals.



[Enlarge](#) [Download](#)

### Image Permissions:



Ophthalmic Atlas Images by [EyeRounds.org](http://EyeRounds.org), [The University of Iowa](http://The University of Iowa) are licensed under a [Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License](http://creativecommons.org/licenses/by-nc-nd/3.0/).

of Medicine  
Department of Ophthalmology and  
Visual Sciences  
200 Hawkins Drive  
Iowa City, IA 52242

[Support Us](#)

Copyright © 2019 The University of  
Iowa. All Rights Reserved  
[Report an issue with this page](#)  
[Web Privacy Policy](#) |  
[Nondiscrimination Statement](#)

[EyeTransillumination](#)  
[Gonioscopy.org](#)  
[Iowa Glaucoma Curriculum](#)  
[Iowa Wet Lab](#)  
[Patient Information](#)  
[Stone Rounds](#)  
[The Best Hits Bookshelf](#)

Follow



Receive notification of new cases,  
[sign up here](#)  
[Contact Us](#)  
[Submit a Suggestion](#)